


SQUARE TUBES

according to EN 10219

QUADRATROHRE

nach EN 10219



DIMENSIONS <i>ABMESSUNGEN</i>	THICKNESS <i>DICKE</i> S (mm)						
	1,5	2,0	2,5	3,0	4,0	5,0	6,0
A x A (mm)	Weight (kg/m) <i>Gewicht (kg/m)</i>						
20	0,90	1,12	1,35	1,42			
22	0,99	1,28					
25	1,14	1,44	1,75	1,89			
30	1,37	1,75	2,15	2,39	3,00		
34	1,50	1,98	2,46	2,77			
35	1,64	2,07	2,54	2,86	3,68		
40	1,82	2,38	2,93	3,33	4,25	4,99	
45	2,05	2,69	3,33	3,80	4,88		
50	2,25	3,01	3,72	4,28	5,51	6,56	
51				4,67	5,80		
60		3,64	4,50	5,22	6,76	8,13	
70		4,26	5,29	6,16	8,02	9,70	
80		4,81	6,07	7,10	9,28	11,30	13,20
90				8,04	10,50	12,80	15,10
100				8,99	11,80	14,40	17,00
110				9,90	13,00	16,00	18,85
120				10,80	14,20	17,50	20,70
130					15,50	19,05	22,55
140					16,80	20,70	24,50
150					18,00	22,30	26,40

